

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

van der GOES *et al.*

Appl. No. *To Be Assigned*

Filed: Herewith (July 24, 2003)

For: **Subranging Analog to Digital  
Converter with Multi-Phase Clock  
Timing**

Art Unit: *To Be Assigned*

Examiner: *To Be Assigned*

Atty. Docket: 1875.2820002/RES/GSB

**Request to Approve Proposed Drawing Corrections**

Commissioner for Patents  
PO Box 1450  
Alexandria, VA 22313-1450

Sir:

Attached is a copy of three (3) sheets of drawings, containing proposed correction to FIG. 4 (with shading removed) and new FIGs. 10 and 11. The proposed change adds no new matter to this application. Applicants request that the Examiner approve the proposed correction.

Respectfully submitted,

STERNE, KESSLER, GOLDSTEIN & FOX P.L.L.C.



Jeffrey T. Helvey  
Attorney for Applicants  
Registration No. 44,757

Date: 7/24/03

1100 New York Avenue, N.W.  
Washington, D.C. 20005-3934  
(202) 371-2600

# NOTICE OF FEE DUE

DATE: 7-25-3

TO: \_\_\_\_\_

FROM: Office of Initial Patent Examination

SUBJECT: Fee Due

APPLICATION NUMBER: 10625707

A fee is due for the attached document submitted to the U. S. Patent and Trademark Office for the following reason. Please check the application for the appropriate authorization to charge a deposit account. If an authorization is present, please charge the appropriate fee. If an authorization is not present, notify the applicant of the fee deficiency.

- ☐ Insufficient fee by check
- ☐ Insufficient funds in deposit account
- ☐ Declined credit card
- ☐ Non authorization for charge to deposit account
- ☐ No fee submitted per requirement

The correct fee code: <u>1202</u>	amount	\$ <u>18.00</u>
The suspended fee code: 197	amount	- \$ _____
Fee Due	amount	= \$ _____

If you have any questions, please contact Cynthia Streater at 703-306-5430 or Eleanor Kurtz at 703-308-3642.

Terminal Operator \_\_\_\_\_